KOZA

SAVUNMA A.Ş.

PRODUCT CATALOG

(kozadefence.com)

KOZA
SAVUNMA A.Ş.

About Us

Wespecialisein Design & production for high-end companies whom are in need of advanced design solutions. These industries range from industrial, defence, aerospace and more. Many years of collaboration have resulted in meaningful relationships with our business partners who can trust in our expertise & execution.

Designing The Future Today


Inaworld where everythingis fundamentally visual, design is what we sense first. The first element on which we pass instant judgement. It subconsciously affects your perception of the subject. A simple glimpse is able to communicate aesthetics, value, quality and status. Design is incredibly valuable to those who recognise its importance. We love to work with these kind of our business partners. By looking forward in everything we do we bring you the future, today.





MILITARY PARTS


RS47 MILITARY



10 slot upper and lower picatinny rails

Four point screw mounting

6 slot two modular picatinny rail





7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

RS47 Quad picatinny rails handguard system aluminium made for AK47/74. Two full length upper & lower Picatinny rails - excellent mounting positions for optics, bipods & grips.

MIL-STD 810G

AI Materials 7075-T6

PKM-SII

MILITARY

17 slot full upper picatinny rail



Hard steel mount adapter



Five point screw mounting

185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product


TSDI PKM-SII is an aluminum replacement dust cover with milled picatinny scope mount for the PKM machine rifles. It provides a steady and secure mounting platform for any picatinny based optics on the PKM with quick and easy drop in installation.

MIL-STD 810G


AI Materials 7075-T6

MP9 MILITARY

13 slot full upper picatinny rail



Special steel tensioning system



Rigid extruded body

185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

TSDI MP9 is an aluminum replacement dust cover with milled picatinny scope mount for the HK MP5 light machine gun. Mounted to rail with universal old-type HK series infantry riffle to bolt body. 4 separate tension arm enables keeping sighting-in sensitivity near zero in full-automatic shots.

MIL-STD 810G

AI Materials 7075-T6

HK I MILITARY

12 slot full upper picatinny rail



5 slot two modular picatinny rail



Five point screw mounting

185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

TSDI HK I is an aluminum replacement dust cover with milled picatinny scope mount for the HK33-HKG3 assault rifles. It provides a steady and secure mounting platform for any picatinny based optics on the HK33-HKG3 with quick and easy drop in installation.


MIL-STD 810G

AI Materials 7075-T6

MNT HK33 MILITARY



20 slot full upper picatinny rail



Rigid extruded body



Four point steel screw mounting

185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

TSDI MNT HK33 is an aluminum replacement dust cover with milled picatinny scope mount for the HK33-HKG3 assault rifles. It provides a steady and secure mounting platform for any picatin- ny based optics on the HK33-HKG3 with quick and easy drop in installation.

MIL-STD 810G

AI Materials 7075-T6

MG3-3 MILITARY

15 slot full upper picatinny rail



Special steel tensioning system



Rigid extruded body

185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING


• About Product

TSDI mg3-3 is an aluminum replacement dust cover with milled picatinny scope mount for the MG3 Machine Gun. It provides a steady and secure mounting platform for any picatinny based optics on the MG3 with quick and easy drop in installation.

MIL-STD 810G

AI Materials 7075-T6

M249-5 MILITARY



185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

TSDI M249-5 is an aluminum replacement dust cover with milled picatinny scope mount for the M249 Machine Gun. It provides a steady and secure mounting platform for any picatinny based optics on the M249 with quick and easy drop in installation.

MIL-STD 810G

AI Materials 7075-T6

MH7 MILITARY



Attachable modular device button

Quick rail button system

Upper and lower adjustment mechanism

Upper and lower eyes adjusment mechanism



Attachable Helment adapter button

Pan-Tilt adjustment system





185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 AL. / 4140 STEEL

PRECISION **CNC** PRODUCTION

DURABLE **COATING**

• About Product

The TSDI MH7 Low Profile Breakaway Mount allows firm attachment of a variety of NVGs to a MICH/ACH helmet using an Ops-Core VAS or standard Army shroud. This NVG mounting system allows the mount to "break away" from the base under a stressed condition, such as when prompted by interference during fast roping, maritime opera- tions, hard impact or when entering or exiting mobility platforms.

MIL-STD 810G

AI Materials 7075-T6

HRA GI MILITARY PARTS





Against impacts and shocks ultra durable raw material

Quick slot adjuster



BLACK | TAN

UNBREAKABLE MATERIAL

MILITRAY POLYMER

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

4 slot Picatinny rail adaptor for helmet accessories. This accessory is necessary to mount night vision, headlights, optic or recording camera to ballistic helmets. This product is manufacture from highly durable polymer composite material. Fast release mechanism will tightly lock when needed and can be removed within seconds when not needed.


MIL-STD 810G

PM Materials PP+GF30

FL 7.62 MILITARY

AK-47
7.62x39

Attachable modular push button



There are fast filling indicators such as 10, 20, 30

Modular AK magazine slot.



UNBREAKABLE MATERIAL

DELRIN BLACK

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

- Loads 30 rounds in any steel, aluminum or bakelite magazine in under 15 seconds.
- Useful for long-term training shooting and operational applications.
- Loads 10 magazine in just 4 minutes
- It is durable and lightweight, made of high-end Delrin.
- The pusher is mounted with a slide system so you don't lose it.

MIL-STD 810G

PM Materials DELRIN


BFA 5.56 MILITARY



Safety Catch

Adjustable Stopper

Heat treated raw material



Modular flash hider entry point



4140 STEEL

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

Blank-firing adaptor
A blank-firing adapter or blank-firing attachment (BFA), sometimes called a blank adapter or blank attachment, is a device used in conjunction with blank ammunition for safety reasons, functional reasons or a combination of them both. Blank firing adapters are required for allowing blank ammunition to cycle the bolts of most semi-automatic and automatic firearms.

MIL-STD 810G

CS Materials 4140



LONG RANGE PARTS

GRIMLOCK MK II

LONG RANGE





7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING


• About Product

The **TSDI GRIMLOCK MK II** Bolt Action Bipod with the quick detach was designed, engineered, and manufactured in the TSDI. This smaller bipod is convenient for a moregrounded shot. The Grimlock mk II is 100% billet, made from the highest quality aircraft aluminum available. To engage or adjust leg position, simply pull the leg downward to move each leg independently. Leg positions can be deployed to 45° or 90°, locking securely into.

MIL-STD 810G

AI Materials 7075-T6

M30X LONG RANGE





The Rings: 30/34 mm
Tilt: 0Mıl-0Moa / 6Mıl-20,6 Moa
Scope Height: 35 mm (Medium)
Length: 126 mm
Height: 64 mm
Weight: 250 grams.

185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

TheM30X Ideal Scope Mount System Riflescope Mount are extremely sturdy, with the option to mount multiple optical accessories in different placements with a built in level. M30X Rifle Scope Mount is also incredibly durable, preventing damage to your scope during heavy recoil or rough hand- ling, and is milled from a single billet of aluminum.

MIL-STD 810G


AI Materials 7075-T6

RS30 LONG RANGE

Scratch resistant military coating

Rigid extruded body





Helicoil in all slots

The Rings: 30 mm
Tilt: 0Mıl-0Moa
Scope Height: 40 mm
Length: 150 mm
Height: 62 mm
Weight: 180 grams.

High strength mounting system

185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING


• About Product

30 mm solid scope base rs-30 solid body and durable with ıts assembly group, ıt performs ıts task wıthout reset failure. It has a value of 0 moa and adapts to 1913 standard rails.

MIL-STD 810G

AI Materials 7075-T6

EXMOUNT LONG RANGE





185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

The modular 3-piece adapter works with all standard 1913 Picatinny rails, only needs rail space for installation. Two-way adjustment via four 7075 T6 adjustment rods provides sufficient slider travel for nearly any rifle. There is no angular adjustment, so if you have an angled forend or rail that is not parallel to your barrel, this mount will not work for your rifle.

MIL-STD 810G


AI Materials 7075-T6

ARG II LONG RANGE

İmpact and shock resistant raw material



High strength mounting system





4 slot Picatinny rail adapter

Scratch resistant military coating



185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING


• About Product

If there are connected optics from angle upper rail adaptor to main rail for long range view, this product enables connecting close range lens t present possible close-range dangers.

MIL-STD 810G

AI Materials 7075-T6

120 R LONG RANGE



Other length options: 120mm- 87 mm- 75 mm

185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

Modular picatini rail, rifle stock rails, modular in many areas as bipod rail or auxiliary observation rail can be used as.

MIL-STD 810G

AI Materials 7075-T6

MSL LONG RANGE



Scratch resistant military coating

Foldable adjustment system



Blue precision bubble level



185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

Boasts the industries only 'fine-adjustable' level feature after you install, for micro-adjustments. Ultra-low design fits under low-mounted scope tubes - without removing your scope to install. A long-range shot has many factors to take into consideration to be sure you are on target, and the TSDI MSL system aids in the correction of cant error giving you dead-on true vertical hold. The level also features an ultra-low profile and machine precision design to make sure you are locked into place before taking that critical shot.

MIL-STD 810G

AI Materials 7075-T6



RIFLE PARTS

TG02 RIFLE PARTS

Non-Slip surface

Additional storage



Against impacts and shocks
ultra durable raw material





UNBREAKABLE MATERIAL

- BLACK
- OLIVE GREEN
- BROWN DESERT

MILITRAY POLYMER

PRECISION INJECTION

DURABLE COATING

• About Product

TG2 is designed to be used in 1913 Picatinny rail stocks and this piece is basic, light, operational and has vertical front grip. This product has ergonomic design for traditional vertical front grip. This product is manufactured from polymer-based raw material and complies with NATO standards. TG2 enables ergonomic casing to operator with bottom cap and enable nonslip grip with special surface.

MIL-STD 810G

PM Materials PP+GF30

TG03 RIFLE PARTS

Non-Slip surface

Against impacts and shocks ultra durable raw material

Replaceable finger slot





UNBREAKABLE MATERIAL

- BLACK
- OLIVE GREEN
- BROWN DESERT

MILITRAY POLYMER

PRECISION INJECTION

DURABLE COATING

• About Product

TG-03 (Angled Grip) that complies with any M1913 Picatinny rail considers natural body mechanics and presents comfortable and stable user interface to decrease tiredness and ensues more sensitive riffle control.
GEN1-2S considers shooters hand and wrist on contrary to conventional vertical front grips and helps decreasing flareback and increase gun control for faster and more correct grip.

MIL-STD 810G

PM Materials PP+GF30


HS4 RIFLE PARTS

Scratch resistant military coating

İmpact and shock resistant raw material

High strength mounting system







185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

The TSDI Hand Stop is a continuation of our low profile, minimal control accessories. The primary goal of this accessory is to aid the user in pulling their rifle into their shoulder, enhancing control and recoil mitigation. The Hand Stop can also be used as a barricade stop, or reversed and placed at the front of the handguard to prevent the support hand from slipping off the end. The size and profile were designed to fit a wide variety of hands without being too large to get in the way.

MIL-STD 810G

AI Materials 7075-T6

QDM RIFLE PARTS

Scratch resistant military coating

İmpact and shock resistant raw material



Modular M4 Imbus mounting system





185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

The M-LOK QD Sling Mount provides a forward attachment point for the TSDI Qds Sling and other push-button QD slings. Machined from Mil-Spec anodized aluminum, the low-profile M-LOK QD Sling Mount features beveled edges to reduce snagging and has an anti-rotation design that prevents swivels from spinning. All hardware necessary for attachment directly to M-LOK Slots is included and and no modifications to the M-LOK hand guard or forend is required.

MIL-STD 810G

AI Materials 7075-T6

MB47 RIFLE PARTS

Scratch resistant military coating

İmpact and shock resistant raw material



Professional brake system design







4140 STEEL

PRECISION **CNC** PRODUCTION

DURABLE **COATING**

• About Product

Reign Over Recoil. TSDI MB47 muzzle brake suppressor adapters greatly reduce both recoil impulse and muzzle rise so that your weapon tracks straight back, keeping you on target for faster shot-to-shot recovery. Our proprietary Impulse Diffusion design minimizes side blast and rear-directed concussion effe- cts.

MIL-STD 810G

CS Materials 4140

CR5 RIFLE PARTS

Scratch resistant
military coating

İmpact and shock
resistant raw material



Professional flash hider
system design







4140 STEEL

PRECISION **CNC** PRODUCTION

DURABLE **COATING**


• About Product


The advanced TSDI CR5 three-prong flash hider features a patent-pending design that greatly reduces muzzle flash — typically greater than 99% — when compared with a plain muzzle. Boasting robust tines built to withstand the rigors of combat, the TSDI CR5 duplicates key functional design elements of the C4 flash hider, but, unlike the latter, serves only as a standalone flash hider and is not suppressor compatible.

MIL-STD
810G

CS Materials
4140

A12 RIFLE PARTS





185%	182%	60%	158%

COMPARED TO 6061-T6

7075-T6 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

The A12 Rail Mount allows 22mm accessories such as red dots, scopes, lasers, flashlights etc. to mount on 11mm prism rails .

MIL-STD 810G

AI Materials 7075-T6

CR3 RIFLE PARTS

Scratch resistant military coating

İmpact and shock resistant raw material



Professional muzzle brake system design







4140 STEEL

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

Reign Over Recoil. TSDI CR3 muzzle brake suppressor adapters greatly reduce both recoil impulse and muzzle rise so that your weapon tracks straight back, keeping you on target for faster shot-to-shot recovery. Our proprietary Impulse Diffusion design minimizes side blast and rear-directed concussion effects.

MIL-STD 810G

CS Materials 4140

CR4 RIFLE PARTS

Scratch resistant
military coating



İmpact and shock
resistant raw material

Professional muzzle
brake system design







4140 STEEL

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

Reign Over Recoil. TSDI CR4 muzzle brake suppressor adapters greatly reduce both recoil impulse and muzzle rise so that your weapon tracks straight back, keeping you on target for faster shot-to-shot recovery. Our proprietary Impulse Diffusion design minimizes side blast and rear-directed concussion effects.

MIL-STD
810G

CS Materials
4140

PISTOL PARTS



HANDGUN

PRIME PISTOL PARTS



Montage adjustment mechanism

İmpact and shock resis- tant raw material

Scratch resistant mili- tary coating



Compatible models

GLOCK

*** GEN (3/4) 17/19/23**

185%	182%	60%	158%

COMPARED TO 6061-T6

7075 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

PRIME is designed to increase cartridge capacity for specified 9x19 models and to add fast precisions tabs. This model will work with original cartridge lifter spring without any modifications and increase capacity by +3 depending on cart- ridge plastic.This product enables fast ammunition change with ergonomic struc- ture.

MIL-STD 810G

AI Materials 7075-T6

T49 GIII PISTOL PARTS



İmpact and shock resistant raw material

Montage adjustment mechanism

Scratch resistant military coating



Compatible models

CANİK
*TP9SA Mod.2
*TP9SF
*TP9SF Elite-S
*TP9SFL
*TP9SFT
*TP9SA
*L120
*C100
*P100
*P120
*SHARK-FC
*SHARK-C
*TP9DA
*S120

SARSILMAZ
*KILINÇ 2000 LIGHT
*KILINÇ 2000 MEGA
*AR24
*AR24K
*K12 SPORT
*K12
*K11
*K10C
*P8S
*P8L
*K2C

TİSAŞ
*Zigana T
*Zigana 63
*Zigana F
*Zigana FC
*Zigana K
*Zigana KC
*Zigana Sport

GİRSAN
*MC28SA
*MC28SAC
*MC28SAS
*MC18

CZ
*CZ75B
*SHADOW
*SHADOW 2
*SP-01
*CZ 75 TS

185%	182%	60%	158%

COMPARED TO 6061-T6

7075 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING


• About Product

T49 is designed to increase cartridge capacity for specified 9x19 models and to add fast precisions tabs. This model will work with original cartridge lifter spring without any modifications and increase capacity by +4/5 depending on cartridge plastic.This product enables fast ammunition change with ergonomic structure.

MIL-STD 810G

AI Materials 7075-T6

T42 PISTOL PARTS





Compatible models

SARSILMAZ

*All Sar9 Series

185%	182%	60%	158%

COMPARED TO 6061-T6

7075 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

T42 is designed to increase cartridge capacity for specified 9x19 models and to add fast precisions tabs. This model will work with original cartridge lifter spring without any modifications and increase capacity by +4 depending on cartridge plastic.This product enables fast ammunition change with ergonomic structure.

MIL-STD 810G

AI Materials 7075-T6

T43 PISTOL PARTS





Compatible models

CANİK
*TP9SA Mod.2
*TP9SF
*TP9SF Elite-S
*TP9SFL
*TP9SFT
*TP9SA
*L120
*C100
*P100
*P120
*SHARK-FC
*SHARK-C
*TP9DA
*S120

SARSILMAZ
*KILINÇ 2000 LIGHT
*KILINÇ 2000 MEGA
*AR24
*AR24K
*K12 SPORT
*K12
*K11
*K10C
*P8S
*P8L
*K2C

TİSAŞ
*Zigana T
*Zigana 63
*Zigana F
*Zigana FC
*Zigana K
*Zigana KC
*Zigana Sport

GİRSAN
*MC28SA
*MC28SAC
*MC28SAS
*MC18

CZ
*CZ75B
*SHADOW
*SHADOW 2
*SP-01
*CZ 75 TS

185%	182%	60%	158%

COMPARED TO 6061-T6

7075 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

- **About Product**

T43 is designed to increase cartridge capacity for specified 9x19 models and to add fast precisions tabs. This model will work with original cartridge lifter spring without any modifications and increase capacity by +3 depending on cartridge plastic. This product enables fast ammunition change with ergonomic structure.

MIL-STD 810G

AI Materials 7075-T6

S6 PISTOL PARTS



USAGE AREAS:

-Function control
-Failure training
-Trigger control training
-Safe storage
-Practical reload training
-Set safe
-Safe trigger reduction

185%	182%	60%	158%

COMPARED TO 6061-T6

7075 ALUMINIUM

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product


The TSDI S6 Snap Caps are precision machined from aluminum to exacting tolerances. They feature a hard anodized finish that provides ultra-smooth functioning and long cycling life. These are perfect for dry fire practice, training and function testing, and teaching safety or storing your firearms with the spring relaxed for longer spring life.

MIL-STD 810G

AI Materials 7075-T6

GM8 PISTOL PARTS





Compatible models

GLOCK

*** Fits all Models Except 42/43**



4140 STEEL

PRECISION **CNC** PRODUCTION

DURABLE **COATING**

- **About Product**

GM8 Modular optical connection adapter for glock models.

- Universal optics mount for most proliferated sites in the field.
- Super low-profile.
- Ability to use an optic without cutting your slide.
- Sleek solid steel construction.
- **Compatibleoptics:** DOCTER SIGHT II PLUS - BURRIS FASTFIRE II&III -LEUPOLD DELTA POINT - EOTECH MRDS - VORTEX VENOM - TRIJICON RMR

MIL-STD 810G

CS Materials 4140

SP4-G PISTOL PARTS

Top clamp adds more security to slide positioning



large sight adjustment wheel makes minor sight adjustment easy

4 independent horizontal positioning clamps hold the slide true and secure





185%	182%	60%	158%

COMPARED TO 6061-T6

7075 AL. 4140 ST.

PRECISION CNC PRODUCTION

DURABLE COATING

• About Product

Accuracy: Our removal tool has a detailed scale for making precise adjustments. It can be moved horizontally to ensure accuracy even after a long period of use.
Durable: Constructed of an aluminum frame with steel components. The screws on the tool have been strengthened, and all the plastic components are all made of special material and would not damaged easily, which avoids the whole machine being scrapped due to the damage of one part.
Versatility: Suitable for most semi-automatic pistols.

MIL-STD 810G

AI Materials 7075-T6

WARNING:

Always follow safe firearm carrying practices.
Otherwise, you might lead serious physical injuries or death.
TSDI shall not be responsible from any injuries, death or property damages due to incorrect installation, incorrect use, illegal use or modification of this product.

www.kozadefence.com